	Application No.	Applicant(s)
Notice of Allowability	10/718,096	ALLEN ET AL.
	Examiner	Art Unit
	Tammara R. Peyton	2182
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment filed 12/14/05 and Examiner's Amendment</u> .		
2. The allowed claim(s) is/are <u>2-30</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
		·
•		
Attachment(s)	5 <b>- 1</b> - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	-t-ut Application (DTO (CTO)
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	nt of Reasons for Allowance
-	9. Other	
		TAMMARA PEYTON PRIMARY EXAMINER

Application/Control Number: 10/718,096

Art Unit: 2182

Page 2

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. A called was placed to Applicant's Attorney Mary Adams-Moe, Reg. No. 57,883 on 2/4 and 2/6. Examiner and Applicant's Attorney on 2/6/06 approved the following changes.

The application has been amended as follows:

Claim 1 (Cancelled)

Claim 2 (Amended)

The method of claim [1] 4, wherein the time span is dependent upon system loads and variations in transport speeds.

Claim 3 (Amended)

The method of claim [1] 4, wherein monitoring a device input/output stream includes monitoring input/output retries, input/output errors, and a time to process an input/output command during the time window.

3. The following is an examiner's statement of reasons for allowance: the prior art of record do not teach or suggest individually or in combination the limitation of "setting a time span for a time window based on a time o process a successful input/output command" and "...responsive to one or more input/output errors occurring on the device path during the time window,

Application/Control Number: 10/718,096

Art Unit: 2182

incrementing an error count by one, determining whether the error count reaches a predetermined

Page 3

limit; and responsive to the error count reaching the predetermined limit, failing the device path.

4. Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

**Conclusion** 

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Tammara Peyton whose telephone number is (571) 272-4157.

The examiner can normally be reached between 6:30 - 4:00 from Monday to Thursday, (I am off

every first Friday), and 6:30-3:00 every second Friday. If attempts to reach the examiner by

telephone are unsuccessful, the examiner's supervisor, Kim Huynh can be reached on (571) 272-

4147. The fax phone number for the organization where this application or proceeding is

assigned is (571) 273-8300. Any inquiry of a general nature of relating to the status of this

application should be directed to the Group receptionist whose telephone number is (571) 272-

2100.

Mailed responses to this action should be sent to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231.

Art Unit: 2182

Faxes for Official/formal (After Final) communications or for informal or draft communications (please label "PROPOSED" or "DRAFT") sent to:

(571) 273-8300

Hand-delivered responses should be brought to:

USTPO, Randolph Building, Customer Service Window

401 Dulany Street

Alexandria, VA 22314.

TAMMARA PEYTON PRIMARY EXAMINES

Tammara Peyton

February 6, 2006